

### NON-ABSORBABLE SUTURE

# **Practisilk**



# Type

**Silk Braided -** Braided multifilament

Silk Virgin - Twisted multifilament

# Composition

**Silk Braided -** Braided fibres from the cocoon of the silkworm

**Silk Virgin -** Twisted fibres from the cocoon of the silkworm

## Coating

Silk Braided - Silicone

Silk Virgin - None

#### Colour

Silk Braided - Black

Silk Virgin - Blue

#### Tissue reaction

Moderate

# **Absorption**

Silk suture elicits an initial inflammatory reaction in tissues, which is followed by gradual encapsulation of the suture by fibrous connective tissues.

#### Presentation

Box with 12 sutures





# **NON-ABSORBABLE SUTURE**

# Proctisilk ( )



### Characteristics

- High tensile strength, non absorbable
  - + Good and extended tissue support for up to 3 month
- Braided or twisted structure
  - + Excellent handling properties
  - + High flexibility
  - + High tensile strength
  - + Excellent knot security

- Coated multifilament
  - + Soft passage through the tissues with minimal sawing,
  - + Tissue drag and trauma
  - + Good knot tie down / adjustability
  - + Reduced capillary action
- Hermetically sealed packing
  - + Guaranteed seal and product sterility

## **Indications**

General soft tissue closing and/or ligation

#### **ESPECIALLY IN:**

- + General surgery
- + Skin closure
- + Ophthalmic surgery
- + Oral surgery
- Gastrointestinal surgery
- + Gynaecology
- + Obstetrics

### Contraindications

General soft tissue closing and/or ligation

#### **ESPECIALLY IN:**

- + Urinary tract
- + Biliary tract
- + Known allergies or sensitivities to silk

Vailored for surgery



# NON-ABSORBABLE SUTURE

# Proctisilk ( )



			200000		200000000000000000000000000000000000000	100
Usp	_	Len.	Needle	Col.	Description	N.Type
8/0	0,4	45	SINGLE	•	6 mm 3/8 230 MICRON	W
8/0	0,4	45	DOUBLE		8 mm 3/8 230 MICRON	€
8/0	0,4	75	DOUBLE		8 mm 1/2 230 MICRON TWISTED	€
8/0	0,4	45	SINGLE		8 mm 3/8 230 MICRON	0
6/0	0,7	45	DOUBLE		8 mm 3/8 280 MICRON	€
6/0	0,7	45	DOUBLE		8 mm 1/4 330 MICRON	€
6/0	0,7	45	SINGLE		13 mm 1/2 330 MICRON	•
6/0	0,7	17x45				
5/0	1	75	SINGLE		12 mm 3/8 330 MICRON	$\odot$
5/0	1	45	SINGLE	•	13 mm 1/2 430 MICRON	0
5/0	1	75	SINGLE		16 mm 3/8	$\nabla$
5/0	1	45	SINGLE		16 mm 3/8	$\nabla$
5/0	1	75	SINGLE		18 mm 3/8	$\nabla$
5/0	1	45	SINGLE	•	19 mm 3/8	$\nabla$
5/0	1	45	SINGLE		20 mm 1/2	0
5/0	1	45	SINGLE		26 mm 1/2	0
5/0	1	17x45		•	and particular designation of the last of	
5/0	1	13x60				
5/0	1	10x75				
5/0	1	180				
4/0	1,5	45	SINGLE		12 mm 1/2 430 MICRON	0
4/0	1,5	45	SINGLE		13 mm 1/2 430 MICRON	0
4/0	1,5	75	SINGLE		16 mm 1/2	0
4/0	1,5	75	SINGLE		16 mm 3/8	₩
National Control	-	90	DOUBLE		II DUNGO ACCORDANGA	-
4/0	1,5				16 mm 1/2	0
4/0	1,5	45	DOUBLE		16 mm 1/4	<b>₩</b>
4/0	1,5	45	SINGLE	•	19 mm 3/8	♡
4/0	1,5	75	SINGLE		20 mm 1/2	0
4/0	1,5	75	SINGLE		26 mm 1/2	0
4/0	1,5	75	SINGLE		30 mm 1/2	0
4/0	1,5	75	SINGLE	•	30 mm 3/8	$\nabla$
4/0	1,5	180				
4/0	1,5	17x45		•		
4/0	1,5	13х60				
4/0	1,5	10x <b>75</b>				
3/0	2	75	SINGLE	•	16 mm 1/2	0
3/0	2	45	SINGLE		16 mm 3/8	$\nabla$
3/0	2	75	SINGLE	•	18 mm 1/2	0
3/0	2	75	SINGLE		19 mm 3/8	$\nabla$
3/0	2	75	SINGLE		20 mm 1/2	0
3/0	2	45	SINGLE		22 mm 3/8	$\nabla$
3/0	2	75	SINGLE	•	26 mm 1/2	0
3/0	2	75	SINGLE		26 mm 3/8	$\nabla$
3/0	2	75	SINGLE		30 mm 1/2	0
3/0	2	75	SINGLE		30 mm 3/8	V
3/0	2	75	SINGLE		35 mm 1/2	0
3/0	2	75	SINGLE	•	60 mm DK	₩
3/0	2	180	J., 13LL		f.	V
3/0	2	17x45			(A)	
3/0	2	13x60				
-, v	100	.unou				

2/0   3   75   SINGLE							
2/0   3   75   SINGLE	Usp	Met.	Len.	Needle	Col.	Description	N. Type
2/0 3 75 SINGLE	2/0	3	75	SINGLE	•	19 mm 3/8	V
2/0 3 75 SINGLE	anne de de como	2	10x75		-		
2/0 3 75 SINGLE	2/0	3	75	SINGLE	•	20 mm 1/2	•
2/0 3 75 SINGLE	2/0	3	75	SINGLE	•	45 mm 3/8	V
2/0 3 75 SINGLE 30 mm 1/2 2/0 3 75 SINGLE 35 mm 1/2 2/0 3 75 SINGLE 40 mm 1/2 2/0 3 75 SINGLE 60 mm DK 2/0 3 180 2/0 3 180 2/0 3 19x/45 2/0 3 180 2/0 3 19x/45 2/0 3 19x/55 0 3,5 75 SINGLE 30 mm 1/2 0 3,5 75 SINGLE 40 mm 1/2 0 3,5 75 SINGLE 30 mm 1/2 1 4 180 40 mm 1/2 1 5 1 1 4 180 40 mm 1/2 1 4 180 40 mm 1/2 1 5 1 1 4 180 40 mm 1/2 1 5 1 1 4 180 40 mm 1/2 1 5 1 1 4 190 50 mm 1/2 1 5 1 1 4 190 50 mm 1/2 1 5 1 1 4 190 50 mm 1/2 1 5 1 1 1 4 190 60 60 60 60 60 60 60 60 60 60 60 60 60	2/0	3	75	SINGLE	•	37 mm 3/8	$\nabla$
2/0 3 75 SINGLE 30 mm 1/2 2/0 3 75 SINGLE 35 mm 1/2 2/0 3 75 SINGLE 40 mm 1/2 2/0 3 75 SINGLE 60 mm DK 2/0 3 180 2/0 3 10x/45 2/0 3 10x/5 0 3,5 75 SINGLE 30 mm 1/2 0 3,5 75 SINGLE 40 mm 1/2 0 3,5 75 SINGLE 50 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 5 SINGLE 50 mm 1/2	2/0	3	75	SINGLE	•	26 mm 1/2	0
2/0 3 75 SINGLE	2/0	3	75	SINGLE	•	26 mm 3/8	$\nabla$
2/0 3 75 SINGLE	2/0	3	75	SINGLE		30 mm 1/2	0
2/0 3 90 SINGLE	2/0	3	75	SINGLE		30 mm 1/2	V
2/0 3 75 SINGLE	2/0	3	75	SINGLE		30 mm 3/8	V
2/0 3 75 SINGLE	2/0	3	90	SINGLE	•	30 mm 1/2	$\nabla$
2/0 3 75 SINGLE	2/0	3	75	SINGLE		35 mm 1/2	0
2/0 3 75 SINGLE	1000	3	75	SINGLE	•	Section and the second section is	0
2/0 3 180 2/0 3 12x45 2/0 3 12x45 2/0 3 12x45 2/0 3 12x45  0 3,5 75 SINGLE	-	3	Name and Address of the Owner, where	CONTRACTOR OF THE PARTY OF THE			V
2/0 3 12x45 2/0 3 13x60  2/0 3 10x75  0 3,5 75 SINGLE			Lancación (				
2/0 3 13x60  2/0 3 16x75  0 3,5 75 SINGLE	10.000	-	1000000				
2/0 3 1ex75 0 3,5 75 SINGLE	MINISTER OF STREET						
0 3,5 75 SINGLE	NAME OF TAXABLE PARTY.						
0 3,5 75 SINGLE	ment of the last	200	-	SINGLE		20 mm 1/2	0
0 3,5 75 SINGLE		MIPONISM N	4554			Lancas and the same of the sam	0
0 3,5 75 SINGLE			a constant	A STATE OF THE STA			V
0 3,5 75 SINGLE	- 45		'undered fill	promote econom			V
0 3,5 75 SINGLE			Market Street	TO STATE OF THE PARTY OF THE PA	22	Ballotte Anna Carlotte Carlott	0
0 3,5 75 SINGLE	691	DESCRIPTION	I SANGEROSSI II	participation and the second		COMPANIES CONTRACTOR OF THE PARTY OF THE PAR	0
0 3,5 75 SINGLE 50 mm 1/2 0 3,5 180 0 3,5 13x60 0 3,5 13x60 0 3,5 13x60 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 3/8 1 4 75 SINGLE 35 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 4 100 SINGLE 50 mm 1/2 1 4 180 1 4 13x60 1 4 13x60 1 4 13x60 1 4 13x60 2 5 13x60 2 5 13x60 2 5 10x75 3 6 180	///		Acres (	715-01-01-01-02-0			
0 3,5 180	127	W. 180 U.	2000	Charles Service Decision			<ul><li>♥</li></ul>
0 3,5 17x45 0 3,5 17x45 0 3,5 17x45 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 35 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 4 100 SINGLE 40 mm 1/2 1 4 180 50 mm 1/2 1 5 180 50 mm 1/2 2 5 180 50 mm 1/2 3 6 180 50 50 mm 1/2 3 6 180 50 50 mm 1/2	- 1	400	North Co.	SINGLE		30 mm 1/2	
0 3,5 13x60		-					
0 3,5 10x75 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 3/8 1 4 75 SINGLE 35 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 4 100 SINGLE 50 mm 1/2 1 4 180 50 mm 1/2 1 4 180 50 mm 1/2 1 4 180 50 mm 1/2 1 4 10x45 50 mm 1/2 1 4 10x75 2 5 180 50 50 mm 1/2 2 5 10x75 50 50 50 50 50 50 50 50 50 50 50 50 50	1/2	III CONTRACTOR OF THE PARTY OF	manufacture a				
1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 3/8 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 4 100 SINGLE 50 mm 1/2 1 4 180 50 mm 1/2 1 4 180 60 60 60 60 60 60 60 60 60 60 60 60 60	-	DESCRIPTION OF	Marketon I				
1 4 75 SINGLE 30 mm 1/2 1 4 75 SINGLE 30 mm 3/8 1 4 75 SINGLE 35 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 40 mm 1/2 1 4 75 SINGLE 50 mm 1/2 1 4 180 50 mm 1/2 1 4 19x45 50 mm 1/2 1 4 19x75 50 mm 1/2 2 5 17x45 50 50 50 50 50 50 50 50 50 50 50 50 50			-	SINGLE		30 mm 1/2	0
1 4 75 SINGLE 30 mm 3/8  1 4 75 SINGLE 35 mm 1/2  1 4 75 SINGLE 40 mm 1/2  1 4 75 SINGLE 40 mm 1/2  1 4 75 SINGLE 40 mm 1/2  1 4 100 SINGLE 50 mm 1/2  1 4 75 SINGLE 50 mm 1/2  1 4 75 SINGLE 50 mm 1/2  1 4 180 50 50 mm 1/2  1 4 19x60 50 50 mm 1/2  2 5 13x60 50 50 50 50 50 50 50 50 50 50 50 50 50	185		RASKO				$\nabla$
1 4 75 SINGLE		101	JAMES I				V
1 4 75 SINGLE			-			Brown and a second	0
1 4 75 SINGLE		100	DANGE OF THE PARTY	No. of Control State of Control o			0
1 4 100 SINGLE	-	Name of Street	2274	United States		Marian Mariana	₩
1 4 75 SINGLE 50 mm 1/2  1 4 180  1 4 12x45  1 4 13x60  1 4 13x75  2 5 180  2 5 13x45  2 5 13x60  2 5 10x75  3 6 180  3 6 13x60	255	2.0					·
1 4 180		_					0
1 4 12x45 1 4 13x60 1 4 13x60 1 4 10x75 2 5 180 2 5 12x45 2 5 13x60 2 5 10x75 3 6 180 3 6 13x60			NAME OF TAXABLE PARTY.	J.1. JEL			
1 4 13x60  1 4 10x75  2 5 180  2 5 17x45  2 5 13x60  2 5 10x75  3 6 180  3 6 13x60	20		Market Street				
1 4 10x75 2 5 180 2 5 17x45 2 5 13x60 2 5 10x75 3 6 180 3 6 13x60	Name of Street	100	Properties a				
2 5 180	170						
2 5 17x45 2 5 13x60 2 5 10x75 3 6 180 3 6 13x60	100		-			S-	
2 5 13x60 2 5 10x75 3 6 180 3 6 13x60	_						
2 5 10x75 3 6 180 3 6 13x60	100	196	10200215000.5				
3 6 180 • • • • • • • • • • • • • • • • • • •	-	_	-				
3 6 13x60						Sales and the sales are sales and the sales are sales ar	
principal distance in the control of	_						
4 6 180	4	6	180				
5 7 180	_	_					
	,		100				

Our product range is not limited with the list above. The list is just given for example.

Tailored for surgery